

الجمهورية الجزائرية الديمقراطية الشعبية

REPUBLIQUE ALGERIENNE DEMOCRATIQUE ET POPULAIRE

وزارة التعليم العالي والبحث العلمي

Ministère de l'Enseignement Supérieur et de la Recherche Scientifique

جامعة أبي بكر بلقايد - تلمسان

Université Aboubakr Belkaïd – Tlemcen –

Faculté de TECHNOLOGIE



THESE

Présentée pour l'obtention du **grade de DOCTORAT 3^{ème} Cycle**

En : Hydraulique

Spécialité : Technologie des sciences de l'eau

Par : Mourad GUESRI

Sujet

INFLUENCE DE LA VARIABILITÉ CLIMATIQUE SUR LA PRODUCTION DES SÉDIMENTS

Soutenue publiquement, le 14/01/2021, devant le jury composé de :

Mme Chérifa ABDELBAKI	MCA	Univ. Tlemcen	Président
Mr Abdesselam MEGNOUNIF	Professeur	Univ. Tlemcen	Directeur de thèse
Mr Abderrahmane Nekkache GHENIM	Professeur	Univ. Tlemcen	Co- Directeur de thèse
Mme Kamila BABA-HAMED	Professeur	Univ. Tlemcen	Examineur 1
Mr Mahmoud HASBAIA	Professeur	Univ. M'sila	Examineur 2

RÉFÉRENCES BIBLIOGRAPHIQUES

- Achite, M., & Meddi, M. (2004). Estimation du transport solide dans le bassin-versant de l'oued Haddad (Nord-Ouest algérien). *Science et changements planétaires / Sécheresse* 15(4), 367-373.
- Achite, M., & Meddi, M. (2005). Variabilité spatio-temporelle des apports liquide et solide en zone semi-aride. Cas du bassin versant de l'oued Mina (nord-ouest algérien). *Revue des sciences de l'eau/Journal of Water Science*, 18, 37-56.
- Achite, M., & Ouillon, S. (2007). Suspended sediment transport in a semiarid watershed, Wadi Abd, Algeria (1973–1995). *Journal of hydrology*, 343(3-4), 187-202.
- Achite, M., Touaibia, B., & Ouillon, S. (2006). Erosion hydrique en Algérie du Nord: Ampleur, conséquences et Perspectives. In *14th International Soil Conservation Organization Conference. Water Management and Soil Conservation in Semi-Arid Environments. Marrakech, Morocco*.
- Aidi, K., Zeddouri, A., Djamel, B., Nabil, M., & Younci, D.(2016). Études des pluies et des intensités pluviales des zones semi-arides (cas du zahrez, bassin versant 17).
- Ali, J. (2015). Development of daily rainfall erosivity model for Dehradun, Uttarakhand, India. *Int. J. Curr. Eng. Technol.*, 5(5), 3222-3227.
- Amireche, H. (2001). L'eau, le substrat, la tectonique et l'anthropisation dans les phénomènes érosifs du tell nord-Constantine.
- André, M., & Christophe, H. (2004). Hydrologie: Une science de la nature. *Presses Polytechniques et Universitaires Romandes*.
- Angers, D. A., & Carter, M. R. (1996). Aggregation and organic matter storage in cool, humid agricultural soils. *Structure and organic matter storage in agricultural soils*, 193-211.
- Angillieri, M. Y. E. (2008). Morphometric analysis of Colangüil river basin and flash flood hazard, San Juan, Argentina. *Environmental geology*, 55(1), 107-111.

- Aoyama, M., Angers, D. A., N'dayegamiye, A., & Bissonnette, N. (1999). Protected organic matter in water-stable aggregates as affected by mineral fertilizer and manure applications. *Canadian Journal of Soil Science*, 79(3), 419-425.
- Arnoldus, H. M. J. (1977). Methodology used to determine the maximum potential average annual soil loss due to sheet and rill erosion in Morocco. *FAO Soils Bulletins (FAO)*.
- Arnoldus, H. M. J. (1977). Prédiction des pertes de terres par érosion en nappe et en griffe. Aménagement des bassins versants. *Bulletin FAO*, 121-149.
- Arnoldus, H. M. J. (1980). An approximation of the rainfall factor in the Universal Soil Loss Equation. *An approximation of the rainfall factor in the Universal Soil Loss Equation.*, 127-132.
- Asselman, N. E. (1999). Suspended sediment dynamics in a large drainage basin: the River Rhine. *Hydrological processes*, 13(10), 1437-1450.
- Asselman, N. E. M. (2000). Fitting and interpretation of sediment rating curves. *Journal of Hydrology*, 234(3-4), 228-248.
- Ávila, B., & Ávila, H. (2015). Spatial and temporal estimation of the erosivity factor R based on daily rainfall data for the department of Atlántico, Colombia. *Ingeniería e Investigación*, 35(2), 23-29.
- Babu, R., Gupta, S. K., Tejawani, K. G., & Rawat, N. S. (1969). Correlation of daily, monthly and annual rainfall with energy intensity product. In *Read at VII annual meeting of ISAE, Pantnagar*.
- Bagnouls, F., & Gaussen, H. (1957). Les climats biologiques et leur classification. In *Annales de Géographie* (Vol. 66, No. 355, pp. 193-220). Armand Colin.
- Bahri, C., Mizouri, M., Aouina, M., Khaldi, R., & Laarbi, M. M. (1995). Guide de conservation des eaux et du sol. *Projet PNUD/FAO-TUN/86/020. Tunis: Edition D/CES*.
- Barthès, B., & Roose, E. (2001). La stabilité de l'agrégation, un indicateur de la sensibilité des sols au ruissellement et à l'érosion: validation à plusieurs échelles. *Cahiers Agricultures*, 10(3), 185-193.

- Benchaaabane, A. (1998). Impact de l'exploitation du prélèvement du bois de feu sur l'érosion du sol en haute montagne (cas du haut Atlas de Marrakech, Maroc). *Science et changements planétaires/Sécheresse*, 8(4), 265-269.
- Benchettouh, A., Kouri, L., & Jebari, S. (2017). Spatial estimation of soil erosion risk using RUSLE/GIS techniques and practices conservation suggested for reducing soil erosion in Wadi Mina watershed (northwest, Algeria). *Arabian Journal of Geosciences*, 10(4), 79.
- Benkadja, R., Boussag, F., & Benkadja, A. (2015). Identification et évaluation du risque d'érosion sur le bassin versant du K'sob (Est Algérien). *Bulletin of Engineering Geology and the Environment*, 74(1), 91-102.
- Benkhalel, A. (2007). Statistical distributions of annual maximum rainfalls depths in the area of chelif. comparison of techniques and results. *Courrier du Savoir*, 8, 83-91.
- Bennett, H. H. (1939). Soil conservation. *Soil conservation*.
- Benselama, O., Mazour, M., Hasbaia, M., Djoukbala, O., & Mokhtari, S. (2018). Prediction of water erosion sensitive areas in Mediterranean watershed, a case study of Wadi El Maleh in north-west of Algeria. *Environmental monitoring and assessment*, 190(12), 735.
- Benslimane, M., Hamimed, A., Zerey, W. E., Khaldi, A., & Mederbal, K. (2009). Analyse et suivi du phénomène de la désertification en Algérie du nord. *VertigO-la revue électronique en sciences de l'environnement*, 8(3).
- Bernard, M. M. (1932). Formulas for rainfall intensities of long duration. *Transactions of the American Society of Civil Engineers*, 96(1), 592-606.
- Bessenasse, M. (2010). Modélisation du cycle d'envasement des retenues de barrages. *OPU, Algérie*, (275p)
- Bissonnais, Y. L. (1990). Experimental study and modelling of soil surface crusting processes. *Catena, Supplement*, (17), 13-28.

- Biswas, S., Sudhakar, S., & Desai, V. R. (1999). Prioritisation of subwatersheds based on morphometric analysis of drainage basin: A remote sensing and GIS approach. *Journal of the Indian society of remote sensing*, 27(3), 155.
- Body, K. (1985). Analyse fréquentielle des pluies de l'Algérie «Synthèse Régionale: détermination des paramètres principaux par station et leur répartition spatiale». *Constantine: Institut National des Ressources Hydrauliques inrh*, 2.
- Boiffin, J. (1984). La dégradation structurale des couches superficielles du sol sous l'action des pluies. *La dégradation structurale des couches superficielles du sol sous l'action des pluies, Institut National Agronomique Paris Grignon (1984)*.
- Bonilla, C. A., & Vidal, K. L. (2011). Rainfall erosivity in central Chile. *Journal of Hydrology*, 410(1-2), 126-133.
- Borrelli, P., Diodato, N., & Panagos, P. (2016). Rainfall erosivity in Italy: a national scale spatio-temporal assessment. *International Journal of Digital Earth*, 9(9), 835-850.
- Borrelli, P., Robinson, D. A., Fleischer, L. R., Lugato, E., Ballabio, C., Alewell, C., ... & Bagarello, V. (2017). An assessment of the global impact of 21st century land use change on soil erosion. *Nature communications*, 8(1), 1-13.
- Bouaïchi, I., Touaïbia, B., & Dernouni, F. (2014). APPROCHE METHODOLOGIQUE DE CALCUL DU DEBIT PLUVIAL EN CAS D'INSUFFISANCE DE DONNEES. CAS DE LA REGION DE TIPAZA. ALGERIE. *Revue LJEE*.
- Bouanani, A. (2004). Hydrologie, Transport solide et Modélisation: Etude de quelques sous bassins de la Tafna (NW-Algérie). *Th. de Doct. d'état, Univ. Abou Bekr BELKAID, Tlemcen*.
- Bouanani, A., Baba-Hamed, K., & Fandi, W. (2013). Production et transport des sédiments en suspension dans l'oued Sikkak (Tafna–nord-ouest Algérie). *Revue des sciences de l'eau/Journal of Water Science*, 26(2), 119-132.
- Bouderbala, D., Souidi, Z., Kattar, S., Lourenço, L., & Nunes, A. (2019). RAINFALL VARIABILITY AND SOIL EROSIVITY IN SEMI-ARID REGIONS: CASE OF THE WESTERN ALGERIAN REGION. *Revista Brasileira de Climatologia*, 24.
- Boudjadja, A., Messahel, M., & Pauc, H. (2003). Ressources hydriques en Algérie du Nord. *Revue des sciences de l'eau/Journal of Water Science*, 16(3), 285-304.

- Bouguerra, H., Bouanani, A., Khanchoul, K., Derdous, O., & Tachi, S. E. (2017). Mapping erosion prone areas in the Bouhamdane watershed (Algeria) using the Revised Universal Soil Loss Equation through GIS. *Journal of Water and Land Development*, 32(1), 13-23.
- Bouguerra, S., Bouanani, A., & Baba-Hamed, K. (2016). Transport solide dans un cours d'eau en climat semi-aride: cas du bassin versant de l'Oued Boumessaoud (nord-ouest de l'Algérie). *Revue des sciences de l'eau/Journal of Water Science*, 29(3), 179-195.
- Boukhrissa, Z. A., Khanchoul, K., Le Bissonnais, Y., & Tourki, M. (2013). Prediction of sediment load by sediment rating curve and neural network (ANN) in El Kebir catchment, Algeria. *Journal of earth system science*, 122(5), 1303-1312.
- Boulghobra, N. (2013). Developing A Protection Plan Against The Riverine Flood Risk In Urban Area The Case Of Skikda (north-east Algeria). *LARHYSS Journal P-ISSN 1112-3680/E-ISSN 2521-9782*, (13).
- Bourouba, M. (1998). Contribution à l'étude de l'érosion et des transports solides de l'Oued Medjerda supérieur (Algérie orientale). *Bulletin ORSTOM*, 18, 76-97.
- Brandt, C. J. (1990). Simulation of the size distribution and erosivity of raindrops and throughfall drops. *Earth Surface Processes and Landforms*, 15(8), 687-698.
- Brown, L. C., & Foster, G. R. (1987). Storm erosivity using idealized intensity distributions. *Transactions of the ASAE*, 30(2), 379-0386.
- Browning, G. M., Parish, C. L., & Glass, J. (1947). Method for determining the use of limitations of rotation and conservation practices in the control of soil erosion in Iowa. *Journal of the American Society of agronomy*.
- Bruce, J. P., & Clark, R. H. (1966). Introduction to Hydrometeorology Pergamon Press. Long Island City, NY.
- Capolongo, D., Diodato, N., Mannaerts, C., Piccarreta, M., & Strobl, R. O. (2008). Analyzing temporal changes in climate erosivity using a simplified rainfall erosivity model in Basilicata (southern Italy). *Journal of Hydrology*, 356(1-2), 119-130.
- Casenave, A., & Valentin, C. (1989). *Les états de surface de la zone sahélienne: influence sur l'infiltration*.

CE. (2000). Directive 2000/60/CE du Parlement Européen et du Conseil du 23 octobre 2000. *Journal Officiel des Communautés Européennes L*, 327.

CEC (Commission of European Communities) (1992). CORINE Soil erosion risk and important land resources in the southern regions of the European Community. Brussels, Commission of the European Community EUR 13233 EN, Luxembourg, *Office for official Publications of the European Community*, pp 97.

Cerro, C., Bech, J., Codina, B., & Lorente, J. (1998). Modeling rain erosivity using disdrometric techniques. *Soil Science Society of America Journal*, 62(3), 731-735.

Chebbani, R., Djilli, K., & Roose, E. (1999). Étude à différentes échelles des risques d'érosion dans le bassin versant de l'Isser. *Bulletin ORSTOM, Réseau Erosion*, 19, 85-95.

Cheggour, A. (2008). Mesures de l'érosion hydrique à différentes échelles spatiales dans un bassin versant montagneux semi-aride et spatialisation par des techniques SIG: Application au bassin versant de la Rhéraya, Haut Atlas, Maroc. *Haut Atlas, Maroc, Cady Ayyad, Marrakesh*.

CHENAFI, A. (2013). *CARTOGRAPHIE ET PROTECTION QUALITATIVE DES EAUX SOUTERRAINES EN ZONE ARIDE, CAS DE MILOK-METLILI, ATLAS SAHARIEN CENTRAL (LAGHOUAT-ALGERIE)* (Doctoral dissertation, Université d'Oran2 Mohamed ben Ahmed).

Chenu, C., & Cosentino, D. (2011). Microbial regulation of soil structural dynamics. *The architecture and biology of soils: life in inner space*, 37-70.

Chenu, C., Abiven, S., Annabi, M., Barray, S., Bertrand, M., Bureau, F., ... & Francou, C. (2011). Mise au point d'outils de prévision de l'évolution de la stabilité de la structure de sols sous l'effet de la gestion organique des sols. *Etude et Gestion des sols*, 18(3), 161-174.

Cherif, E. A., Errih, M., & Cherif, H. M. (2009). Modélisation statistique du transport solide du bassin versant de l'Oued Mekerra (Algérie) en zone semi-aride méditerranéenne. *Hydrological sciences journal*, 54(2), 338-348.

Cherif, H. M., Terfous, A., Bouanani, A., & Ghenaim, A. (2012). VARIABILITY OF STREAMFLOW AND SEDIMENT YIELDS IN WADI TARIA (NORTHWEST ALGERIA).

- Cherif, H. M., Khanchoul, K., Bouanani, A., & Terfous, A. (2017). Prediction of sediment yield at storm period in Northwest Algeria. *Arabian Journal of Geosciences*, 10(9), 198.
- Chow, V. T., Maidment, D. R., & Mays, L. W. (1988). Applied hydrology McGraw-Hill International editions. New York, USA.
- Colotti, E. (2004). Aplicabilidad de los datos de lluvia horaria en el cálculo de la erosidad. [Applicability of hourly rainfall data to erosion analysis]. Fondo Editorial de Humanidades y Educación. Departamento de Publicaciones. Universidad Central de Venezuela, Caracas. *Spanish*.
- Cook, H. L. (1937). The nature and controlling variables of the water erosion process. *Soil science society of America Journal*, 1(C), 487-494.
- Cooper, K. (2011). Evaluation of the relationship between the RUSLE R-Factor and mean annual precipitation. *Colo. State*, 1, 37.
- Coutagne, A. (1935). Le déficit d'écoulement et l'évaporation dans la région lyonnaise. *Géocarrefour*, 11(3), 359-366.
- Coutinho, M. A., & Tomás, P. P. (1995). Characterization of raindrop size distributions at the Vale Formoso Experimental Erosion Center. *Catena*, 25(1-4), 187-197.
- Da Silva, A. M. (2004). Rainfall erosivity map for Brazil. *Catena*, 57(3), 251-259.
- Dajoz, R. (1996). *Précis d'écologie: 2e et 3e cycles universitaires*. Dunod.
- D'Asaro, F., & Santoro, M. (1983). *Aggressività della pioggia nello studi dell'erosione idrica del territorio siciliano*. Istituto di Idraulica della Università di Palermo.
- Dawson, F. H., Hornby, D. D., & Hilton, J. (2002). A method for the automated extraction of environmental variables to help the classification of rivers in Britain. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 12(4), 391-403.
- de Oliveira Junior, R. C., & Medina, B. F. (1990). A erosividade das chuvas em Manaus (AM). *Rev. Bras. Ciênc. Solo*, 14, 235-239.

de Santos Loureiro, N., & de Azevedo Coutinho, M. (2001). A new procedure to estimate the RUSLE EI30 index, based on monthly rainfall data and applied to the Algarve region, Portugal. *Journal of hydrology*, 250(1-4), 12-18.

Dedkov, A., & Mozzherin, V. (1984). Erosia i Stok Nanosov na Zemle (Erosion and sediment yield on the Earth). Izdatelstvo Kazanskogo Universiteta, 264 pp. *Russian with an English summary*.

Demmak, A. (1982). *Contribution à l'étude de l'érosion et des transports solides en Algérie septentrionale* (Doctoral dissertation).

Deumlich, D., Funk, R., Frielinghaus, M., Schmidt, W. A., & Nitzsche, O. (2006). Basics of effective erosion control in German agriculture. *Journal of Plant Nutrition and Soil Science*, 169(3), 370-381.

Diodato, N., & Bellocchi, G. (2010). MedREM, a rainfall erosivity model for the Mediterranean region. *Journal of Hydrology*, 387(1-2), 119-127.

Diodato, N., & Bellocchi, G. (2012). Decadal modelling of rainfall–runoff erosivity in the Euro-Mediterranean region using extreme precipitation indices. *Global and Planetary Change*, 86, 79-91.

Diodato, N., Bellocchi, G., Romano, N., & Guadagno, F. M. (2016). Modelling the rainfall erosivity of the Rhone region (Southeastern France) associated with climate variability and storminess. *Advances in Meteorology*, 2016.

Dumas, P. (2004). *Caractérisations des littoraux insulaires: approche géographique par télédétection et SIG pour une gestion intégrée. Application en Nouvelle-Calédonie* (Doctoral dissertation, Orléans).

Dutartre, A., & Oyarzabal, J. (1993). Gestion des plantes aquatiques dans les lacs et les étangs landais. *Hydroécologie appliquée*, 5(2), 43-60.

DVWK. (1990). Grundlagen der Verdunstungsermittlung und Erosivitt von Niederschlgén. *Deutscher Verb and fr Wasser wirtschaft und Kulturbau (eds) Parey*, Hamburg.

El Mahi, A., Meddi, M., & Bravard, J. P. (2012). Analyse du transport solide en suspension dans le bassin versant de l'Oued El Hammam (Algérie du Nord). *Hydrological sciences journal*, 57(8), 1642-1661.

- Elahcene, O., Terfous, A., Remini, B., Ghenaim, A., & Poulet, J. B. (2013). Etude de la dynamique sédimentaire dans le bassin versant de l'Oued Bellah (Algérie). *Hydrological Sciences Journal*, 58(1), 224-236.
- Elangovan, A. B., & Seetharaman, R. (2011). Estimating Rainfall Erosivity of the Revised Universal Soil Loss Equation from daily rainfall depth in Krishanagiri Watershed region of Tamil Nadu, India. In *International Conference on Environmental and Computer Science* (Vol. 19, pp. 48-52).
- Ellis, J. B., Chocat, B., Fujita, S., Marsalek, J., & Rauch, W. (Eds.). (2004). *Urban Drainage*. IWA publishing.
- Eltaiif, N. I., Gharaibeh, M. A., Al-Zaitawi, F., & Alhamad, M. N. (2010). Approximation of rainfall erosivity factors in North Jordan. *Pedosphere*, 20(6), 711-717.
- Emerson, W. W. (1967). A classification of soil aggregates based on their coherence in water. *Soil Research*, 5(1), 47-57.
- Emerson, W. W., & Greenland, D. J. (1990). Soil aggregates—formation and stability. In *Soil colloids and their associations in aggregates* (pp. 485-511). Springer, Boston, MA.
- Engeo. (1994). www.alnaft.gov.dz/IMG/pdf/4-Bassin_du_Hodna
- Estorge, J. L., LABORDE, J., & Zumstein, J. F. (1979). Mise en évidence des relations entre le gradex des pluies journalières et les gradex des pluies de durée inférieure à 24h. en Lorraine. *Mosella. Revue du Centre d'études géographiques de Metz Metz*, 9(2), 57-75.
- Fenn, C. R., Gurnell, A. M., & Beecroft, I. R. (1985). An evaluation of the use of suspended sediment rating curves for the prediction of suspended sediment concentration in a proglacial stream. *Geografiska Annaler: Series A, Physical Geography*, 67(1-2), 71-82.
- Ferro, V., Giordano, G., & Iovino, M. (1991). Isoerosivity and erosion risk map for Sicily. *Hydrological Sciences Journal*, 36(6), 549-564.
- Ferro, V., Porto, P., & Yu, B. (1999). A comparative study of rainfall erosivity estimation for southern Italy and southeastern Australia. *Hydrological Sciences Journal*, 44(1), 3-24.

Forestier, S. (2011). *Etude de l'évaporation d'un liquide répandu au sol suite à la rupture d'un stockage industriel* (Doctoral dissertation, Ecole Nationale Supérieure des Mines de Saint-Etienne).

Foster, G. R., Lane, L. J., Nowlin, J. D., Laflen, J. M., & Young, R. A. (1981). Estimating erosion and sediment yield on field-sized areas. *Transactions of the ASAE*, 24(5), 1253-1262.

Fournier, F. (1960). *Climat et érosion: la relation entre l'érosion du sol par l'eau et les précipitations atmosphériques* (No. 551.302). Presses universitaires de France.

Fournier, F. (1969). L'érosion hydrique et le climat. *Bulletin technique d'information*.

Fox, D., Carrega, P., Morschel, J., & Emsellem, K. (2008). La dégradation des sols dans le monde. *Université de Nice Sophia Antipolis. unt. unice. fr/uoh/degsol. php*.

Fox, H. R., & Moore, H. M. (1993). Fluvial suspended sediment transport and mechanical erosion in the Maghreb (North Africa). *Hydrological sciences journal*, 38(6), 559-560.

Gantzer, C. J., Anderson, S. H., & Miles, R. J. (2018). The centennial of the first erosion plots. *Journal of Soil and Water Conservation*, 73(3), 57A-59A.

Gaubi, I., Chaabani, A., Mammou, A. B., & Hamza, M. H. (2017). A GIS-based soil erosion prediction using the revised universal soil loss equation (RUSLE)(Lebna watershed, Cap Bon, Tunisia). *Natural Hazards*, 86(1), 219-239.

Georges, Y. (2008). Contribution à l'évaluation de l'érosion dans le bassin versant de la rivière Grise pour un meilleur plan d'aménagement. mémoire, *Université de Liège*, p122

Ghenim, A., Terfous, A., & Seddini, A. (2007). Étude du transport solide en suspension dans les régions semi-arides méditerranéennes: cas du bassin-versant de l'oued Sebdou (Nord-Ouest algérien). *Science et changements planétaires/Sécheresse*, 18(1), 39-44.

Ghenim, A. (2008). *Étude des écoulements et des transports solides dans les régions semi-arides méditerranéennes* (Doctoral dissertation, Thèse de doctorat: Université de Tlemcen (Algérie)).

Ghenim, A., Seddini, A., & Terfous, A. (2008). Variation temporelle de la dégradation spécifique du bassin versant de l'Oued Mouilah (nord-ouest Algérien)/Temporal variation

of the specific sediment yield of the Wadi Mouilah basin (northwest Algeria). *Hydrological sciences journal*, 53(2), 448-456.

Ghenim, A. N., & Megnounif, A. (2013). Ampleur de la sécheresse dans le bassin d'alimentation du barrage Meffrouche (Nord-Ouest de l'Algérie). *Physio-Géo. Géographie physique et environnement*, (Volume 7), 35-49.

Ghenim, A. N., & Megnounif, A. (2016). Variability and trend of annual maximum daily rainfall in northern Algeria. *International Journal of Geophysics*, 2016.

Ghorbel, A., & Claude, J. (1977). Mesure de l'envasement dans les retenues de sept barrages en Tunisie: estimation des transports solides. *Erosion and Solid Matter Transport in Inland Waters*, 219-232.

Goovaerts, P. (1999). Using elevation to aid the geostatistical mapping of rainfall erosivity. *Catena*, 34(3-4), 227-242.

Gottfried, G. J., Neary, D. G., Baker Jr, M. B., & Ffolliott, P. F. (2003, October). Impacts of wildfires on hydrologic processes in forest ecosystems: two case studies. In *Proceedings, First Interagency Conference on Research in the Watersheds* (pp. 27-30).

Gravelius, H. (1914). Grundrifi der gesamten Gewcisserkunde. *Band I: Flufikunde (Compendium of Hydrology, vol. I. Rivers, in German)*. Germany: Goschen, Berlin.

Grecu, F., Zăvoianu, I., Zaharia, L., & Comănescu, L. (2007). Analyse quantitative du réseau hydrographique du bassin versant du Slănic (Roumanie). *Physio-Géo. Géographie physique et environnement*, (Volume 1), 79-93.

Grisollet, H. (1948). Etude des averses orageuses de la région parisienne. *La météorologie*, (11), 175-195.

Guidoum, A., Nemouchi, A., & Hamlat, A. (2014). Modeling and mapping of water erosion in northeastern Algeria using a seasonal multicriteria approach. *Arabian Journal of Geosciences*, 7(10), 3925-3943.

Habibi, B., Meddi, M., & Boucefiane, A. (2013). Analyse fréquentielle des pluies journalières maximales Cas du Bassin Chott-Chergui. *Nature & Technology*, (8), 41B.

Hallouz, F., Meddi, M., & Mahe, G. (2017). Régimes des matières en suspension dans le bassin versant de l'oued Mina sur l'oued Cheliff (nord-ouest algérien). *La Houille Blanche*, (4), 61-71.

Handbook, H. (1996). Hydrology handbook. ASCE Publications, Reston, VA
Ataie-Ashitani B, Volker RE, Lockington DA (2001) Tidal effects on groundwater dynamics in unconfined aquifers. *Hydrol Processes*, 15, 655-669.

Hasbaia, M., Hedjazi, A., & Benayada, L. (2012). Variabilité de l'érosion hydrique dans le bassin du Hodna: cas du sous-bassin versant de l'oued elham. *Revue Marocaine des Sciences Agronomiques et Vétérinaires*, 1(1), 28-32.

Hasbaia, M., Paquier, A., & Herizi, T. (2017). Hydrological Modeling of Sediment Transport in the Semi-arid Region, Case of Soubella Watershed in Algeria. In *Water Resources in Arid Areas: The Way Forward* (pp. 251-266). Springer, Cham.

Hassen, B., Soufiane, L., & Chaouki, C. (2017). Mapping and Modelling of Areas at Risk of Erosion: Case of Aures Center (Algeria). In *Water Resources in Arid Areas: The Way Forward* (pp. 197-214). Springer, Cham.

Hernando, D., & Romana, M. G. (2015). Estimating the rainfall erosivity factor from monthly precipitation data in the Madrid Region (Spain). *Journal of Hydrology and Hydromechanics*, 63(1), 55-62.

Heusch, B. (1970). L'érosion du pré-rif: une étude quantitative de l'érosion hydraulique dans les collines marneuses du pré-rif occidental.

Heush, B. (1970). Estimation et contrôle de l'érosion hydraulique. *CR Soc. Sci. Nat. Phy. Maroc*, 37 (1973) 41, 54.

Heusch, B. et Millières-Lacroix, A. (1971). Une méthode pour estimer l'écoulement et l'érosion dans un bassin. Application au Maghreb.

Hewitt, K., Owens, D., & Slaymaker, O. (2004). Geomorphic hazards in mountain environments. *Mountain geomorphology*, 187-218.

Hingray, B., Picouet, C., & Musy, A. (2009). *Hydrologie: Une science pour l'ingénieur* (Vol. 21). PPUR presses polytechniques.

- Holden, J. (Ed.). (2005). *An introduction to physical geography and the environment*. Pearson Education.
- Holeman, J. N. (1968). The sediment yield of major rivers of the world. *Water resources research*, 4(4), 737-747.
- Hong-jiang, G. (2002). Study and Application of Excel in P-III Distribution Frequency Calculation [J]. *Hydroelectric Energy*, 3.
- Horowitz, A. J. (2003). An evaluation of sediment rating curves for estimating suspended sediment concentrations for subsequent flux calculations. *Hydrological processes*, 17(17), 3387-3409.
- Horton, R. E. (1945). Erosional development of streams and their drainage basins; hydrophysical approach to quantitative morphology. *Geological society of America bulletin*, 56(3), 275-370.
- Hoyos, N., Waylen, P. R., & Jaramillo, Á. (2005). Seasonal and spatial patterns of erosivity in a tropical watershed of the Colombian Andes. *Journal of hydrology*, 314(1-4), 177-191.
- Huang, Y. H., Lu, C. L., Zheng, T. F., Fu, Q., & Xu, J. J. (1992). Rainfall erosivity index in southeastern Fujian. *J. Soil Water Conserv., China*, 6(4), 1-5.
- Hudson, N. W. (1965). *The influence of rainfall on the mechanics of soil erosion: with particular reference to Southern Rhodesia* (Doctoral dissertation, University of Cape Town).
- Hussein, M. H. (1986). Rainfall erosivity in Iraq. *Journal of soil and water conservation*, 41(5), 336-338.
- Hydrolab (2010). Excel macro-commands developed by J. P. Laborde helped by N. Mouhous. Université de Nice-Sophia Antipolis et C.N.R.S.
- Issa, L. K., Lech-Hab, K. B. H., Raissouni, A., & El Arrim, A. (2016). Cartographie quantitative du risque d'érosion des sols par approche SIG/USLE au niveau du bassin versant Kalaya (Maroc Nord Occidental). *J Mater Environ Sci*, 7(8), 2778-2795.

- Jansson, M. B. (1996). Estimating a sediment rating curve of the Reventazon river at Palomo using logged mean loads within discharge classes. *Journal of Hydrology*, 183(3-4), 227-241.
- Jayawardena, A. W., & Rezaur, R. B. (2000). Drop size distribution and kinetic energy load of rainstorms in Hong Kong. *Hydrological Processes*, 14(6), 1069-1082.
- Jayawardena, A. W., & Rezaur, R. B. (2000). Drop size distribution and kinetic energy load of rainstorms in Hong Kong. *Hydrological Processes*, 14(6), 1069-1082.
- Jenkinson, A. F. (1955). The frequency distribution of the annual maximum (or minimum) values of meteorological elements. *R. Meteorol. Soc.* 81, 158–171.
- Karami, A., Homaei, M., Neyshabouri, M. R., Afzalnia, S., & Basirat, S. (2012). Large scale evaluation of single storm and short/long term erosivity index models. *Turkish Journal of Agriculture and Forestry*, 36(2), 207-216.
- Kauark, L. A. (1990). *Réflexions sur l'utilité des modèles mathématiques dans la gestion de la pollution diffuse d'origine agricole* (Doctoral dissertation, Marne-la-vallée, ENPC).
- Kebiche, M. (1994). Le bassin versant du Hodna (Algérie): Ressources en eau et possibilités d'aménagement. *Travaux de l'Institut de Géographie de Reims*, 85(1), 25-34.
- Kefi, M., & Yoshino, K. (2010). Evaluation of the economic effects of soil erosion risk on agricultural productivity using remote sensing: case of watershed in Tunisia. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Science*, 38(Part 8).
- Keifer, C. J., & Chu, H. H. (1957). Synthetic storm pattern for drainage design. *Journal of the hydraulics division*, 83(4), 1-25.
- Khanchoul, K., & Jansson, M. B. (2008). Sediment rating curves developed on stage and seasonal means in discharge classes for the Mellah wadi, Algeria. *Geografiska Annaler: Series A, Physical Geography*, 90(3), 227-236.
- Khanchoul, K., Jansson, M. B., & Lange, J. (2007). Comparison of suspended sediment yield in two catchments, northeast Algeria. *Zeitschrift für Geomorphologie*, 51(1), 63-94.

- Khanchoul, K., Boukhrissa, Z. E. A., Acidi, A., & Altschul, R. (2012). Estimation of suspended sediment transport in the Kebir drainage basin, Algeria. *Quaternary International*, 262, 25-31.
- Kinnell, P. I. A. (2005). Raindrop-impact-induced erosion processes and prediction: a review. *Hydrological Processes: An International Journal*, 19(14), 2815-2844.
- Kirkby, M. J. (1976). Tests of the random network model, and its application to basin hydrology. *Earth Surface Processes*, 1(3), 197-212.
- Klik, A., Haas, K., Dvorackova, A., & Fuller, I. C. (2015). Spatial and temporal distribution of rainfall erosivity in New Zealand. *Soil Research*, 53(7), 815-825.
- Kolmogorov, A. (1933). Sulla Determinazione Empirica di una Legge di Distribuzione," *Giornale dell'Istituto Italiano degli Attuari*, 4, 1-11.
- Koutsoyiannis, D. (2004). Statistics of extremes and estimation of extreme rainfall: II. Empirical investigation of long rainfall records/Statistiques de valeurs extrêmes et estimation de précipitations extrêmes: II. Recherche empirique sur de longues séries de précipitations. *Hydrological Sciences Journal*, 49(4).
- Krishnamurthy, J., Srinivas, G., Jayaraman, V., & Chandrasekhar, M. G. (1996). Influence of rock types and structures in the development of drainage networks in typical hardrock terrain. *ITC journal*, (3-4), 252-259.
- Laborde, J. P. (1993). Carte pluviométrique de l'Algérie du Nord à l'échelle du 1/500 000, notice explicative. *Projet PNUD/ALG/88/021. Alger: Agence nationale des ressources hydrauliques*.
- Laborde, J. P., & Mouhous, M. (1998). Hydrolab Software, V. 98.2. *Équipe Gestion et valorisation de l'environnement de l'UMR, 5651*.
- Laborde, J. P. (2000). Eléments d'hydrologie de surface. *Université de Nice-Sophia Antipolis. France (204p)*.
- Laborde, J. P. (2009). Eléments d'hydrologie de surface. *Université de Nice-Sophia Antipolis. France (188p)*.

- Laborde, J. P (2017). MODE D'UTILISATION DU LOGICIEL HYDROLAB 2018. *UMR 5651 "espace" du CNRS, Université de Nice - Sophia Antipolis*
- Laflen, J. M., & Moldenhauer, W. C. (2003). The USLE story. *Special Publication, WASWC*.
- Laouina, A., Chaker, M., Naciri, R., & Nafaa, R. (1993). L'érosion anthropique en pays méditerranéen : le cas du Maroc septentrional (Man's impact on erosion in mediterranean lands: the case of northern Morocco). *Bulletin de l'Association de géographes français*, 70(5), 384-398.
- Laouina, A. (1998). Dégradations des terres dans la région méditerranéenne du Maghreb. *Bulletin de l'ORSTOM*, 18, 33-53.
- Larfi, B., & Remini, B. (2006). Le transport solide dans le bassin versant de l'Oued Isser impact sur l'envasement du barrage de Beni Amrane (Algérie). *LARHYSS Journal P-ISSN 1112-3680/E-ISSN 2602-7828*, (5).
- Laribi, G. (2012). *Etude du fonctionnement hydrologique d'un bassin versant et de son influence sur le régime des eaux Cas du bassin versant de Oued Allala (Ténès-Chlef)* (Doctoral dissertation, Université de Mostaganem-Abdelhamid Ibn Badis).
- Le Bissonnais, Y. (1988). Analyse des mecanismes de desagregation et de la mobilisation des particles de terre sous l'action des pluies. *These de Doctorat, Universite d'Orleans*.
- Le Bissonnais, Y. (1989). Analyse des processus de microfissuration des agrégats à l'humectation. *Science du sol*, 27(2), 187-199.
- Le Bissonnais, Y., & Le Souder, C. (1995). Mesurer la stabilité structurale des sols pour évaluer leur sensibilité à la battance et à l'érosion. *Etude et Gestion des sols*, 2(1), 43-56.
- Le Bissonnais, Y. L. (1996). Aggregate stability and assessment of soil crustability and erodibility: I. Theory and methodology. *European Journal of Soil Science*, 47(4), 425-437.
- Le Bissonnais, Y. (2000). Analyse expérimentale des mécanismes d'érosion: la dégradation structurale superficielle et le détachement des particules des sols cultivés. *Ingénieries-EAT*, (22), p-27.

Le Bissonnais, Y., Cros-Cayot, S., & Gascuel-Odoux, C. (2002). Topographic dependence of aggregate stability, overland flow and sediment transport. *Agronomie*, 22(5), 489-501.

Le Bissonnais, Y., Thorette, J., Bardet, C., & Daroussin, J. (2002). L'érosion hydrique des sols en France. *Rapport INRA, IFEN*, 106.

Leahy, P., Kiely, G., & Corcoran, G. (2008). Structural optimisation and input selection of an artificial neural network for river level prediction. *Journal of hydrology*, 355(1-4), 192-201.

Lee, M. H., & Lin, H. H. (2015). Evaluation of annual rainfall erosivity index based on daily, monthly, and annual precipitation data of rainfall station network in Southern Taiwan. *International Journal of Distributed Sensor Networks*, 11(6), 214708.

Leguédais, S. (2003). *Mécanismes de l'érosion diffuse des sols. Modélisation du transfert et de l'évolution granulométrique des fragments de terre érodés* (Doctoral dissertation, Université d'Orléans).

Leow, C. S., Ghani, A. A., Zakaria, N. A., & Abidin, R. Z. (2011). Development of rainfall erosivity isohyet map for Peninsular Malaysia. In *3rd International Conference on Managing Rivers in the 21st Century: Sustainable Solutions for Global Crisis of Flooding, Pollution and Water Scarcity* (pp. 748-756).

Leprun, J. C. (1981). A erosao, a conservacao eo manejo do solo no nordeste brasileiro: balanço, diagnostico e novas linhas de pesquisas.

Lienou, G. (2007). Impacts de la variabilité climatique sur les ressources en eau et les transports de matières en suspension de quelques bassins versants représentatifs au Cameroun. *These de doctorat PhD, université de Yaoundé I*.

Lo, A., El-Swaify, S. A., Dangler, E. W., & Shinshiro, L. (1985). Effectiveness of EI30 as an erosivity index in Hawaii.

Louamri, A., Mebarki, A., & Laignel, B. (2013). Variabilité interannuelle et intra-annuelle des transports solides de l'Oued Bouhamdane, à l'amont du barrage Hammam Debagh (Algérie orientale). *Hydrological sciences journal*, 58(7), 1559-1572.

Ludwig, W., & Probst, J. L. (1998). River sediment discharge to the oceans; present-day controls and global budgets. *American Journal of Science*, 298(4), 265-295.

- Madani Cherif,H., abderezzak, B., & Baghdadi, B. (2017). A rating-curve method for determining specific suspended sediment yield in the catchment area of sidi bel abbes (Algeria).
- Maidment, D. R. (1993). *Handbook of hydrology* (Vol. 9780070, p. 397323). New York: McGraw-Hill.
- Mannaerts, C. M., & Gabriels, D. (2000). Rainfall erosivity in Cape Verde. *Soil and Tillage Research*, 55(3-4), 207-212.
- McGregor, K. C., Bingner, R. L., Bowie, A. J., & Foster, G. R. (1995). Erosivity index values for northern Mississippi. *Transactions of the ASAE*, 38(4), 1039-1047.
- McIsaac, G. F. (1990). Apparent geographic and atmospheric influences on raindrop sizes and rainfall kinetic energy. *Journal of Soil and Water Conservation*, 45(6), 663-666.
- Meddi, M. (1992). *Hydro pluviométrie et transport solide dans le bassin versant de l'oued Mina* (Doctoral dissertation, Thèse de Doctorat de l'université de Strasbourg, 100-175).
- Meddi, M. (1999). Etude du transport solide dans le bassin versant de l'oued Ebda (Algérie). *Zeitschrift für Geomorphologie*, 43, 167-184.
- Meddi, M. (2013). Sediment transport and rainfall erosivity evolution in twelve basins in Central and Western Algeria. *Journal of Urban and Environmental Engineering*, 7(2), 253-263.
- Meddi, M., Toumi, S., & Assani, A. A. (2016). Spatial and temporal variability of the rainfall erosivity factor in Northern Algeria. *Arabian Journal of Geosciences*, 9(4), 282.
- Meddour-Sahar, O. "Les feux de forêt en Algérie: Analyse du risque, étude des causes, évaluation du dispositif de défense et des politiques de gestion." *Université Mouloud Mammeri: Tizi Ouzou* (2014).
- Medhioub, E., Bouaziz, M., & Bouaziz, S. (2017, November). Assessment of Soil Erosion by Water Using RUSLE, Remote Sensing and GIS in Gabes Coast-Southern Tunisia: Study Case of Oued El Sourrag Watershed. In *Euro-Mediterranean Conference for Environmental Integration* (pp. 1805-1806). Springer, Cham.

- Meghraoui, M., Habi, M., Morsli, B., Regagba, M., & Seladji, A. (2017). Mapping of soil erodibility and assessment of soil losses using the RUSLE model in the Sebaa Chioukh Mountains (northwest of Algeria). *Journal of Water and Land Development*, 34(1), 205-213.
- Megnounif, A., Terfous, A., & Bouanani, A. (2003). Production et transport des matières solides en suspension dans le bassin versant de la Haute-Tafna (Nord-Ouest Algérie). *Revue des sciences de l'eau/Journal of Water Science*, 16(3), 369-380.
- Megnounif, A. (2007). Etude du transport des sédiments en suspension dans les écoulements de surface. *Thèse de doctorat, Univ. Abou-Bekr Belkaid, Algérie*.
- Megnounif, A., Terfous, A., & Ouillon, S. (2013). A graphical method to study suspended sediment dynamics during flood events in the Wadi Sebdou, NW Algeria (1973–2004). *Journal of hydrology*, 497, 24-36.
- Meguenni, K., & Remini, B. (2008). Evaluation du débit solide dans le bassin versant de Harreza (Algérie). *LARHYSS Journal P-ISSN 1112-3680/E-ISSN 2602-7828*, (7).
- Mello, C. D., Viola, M. R., Beskow, S., & Norton, L. D. (2013). Multivariate models for annual rainfall erosivity in Brazil. *Geoderma*, 202, 88-102.
- Meshesha, D. T., Tsunekawa, A., Tsubo, M., Haregeweyn, N., & Tegegne, F. (2016). Evaluation of kinetic energy and erosivity potential of simulated rainfall using Laser Precipitation Monitor. *Catena*, 137, 237-243.
- Meyer, L. D., & Monke, E. J. (1965). Mechanics of soil erosion by rainfall and overland flow. *Transactions of the ASAE*, 8(4), 572-0577.
- Mikhailova, E. A., Bryant, R. B., Schwager, S. J., & Smith, S. D. (1997). Predicting rainfall erosivity in Honduras. *Soil Science Society of America Journal*, 61(1), 273-279.
- Milliman, J. D., & Meade, R. H. (1983). World-wide delivery of river sediment to the oceans. *The Journal of Geology*, 91(1), 1-21.
- Milliman, J. D., & Syvitski, J. P. (1992). Geomorphic/tectonic control of sediment discharge to the ocean: the importance of small mountainous rivers. *The journal of Geology*, 100(5), 525-544.

- Mimikou, M. A., Baltas, E. A., & Tsihrintzis, V. A. (2016). Hydrology and water resource systems analysis. CRC Press.
- Mimoune, S. (1995). Gestion des sols salés et désertification dans une cuvette enddoreique d'Algérie (sud du Chott Hodna) (Doctoral dissertation, Aix-Marseille 1).
- Modeste, M., Abdellatif, K., Nadia, M., & Zhang, H. (2016). Impact of land use and vegetation cover on risks of erosion in the Ourika Watershed (Morocco).
- Morais, L. D., Silva, V. D., Naschenveng, T. D. C., Hardoin, P. C., Almeida, J. D., Weber, O. D. S., ... & Durigon, V. (1991). Índice EI30 e sua relação com o coeficiente de chuva do sudoeste do Mato Grosso. *Revista brasileira de ciência do solo*, 15(3), 339-344.
- Morehead, M. D., Syvitski, J. P., Hutton, E. W., & Peckham, S. D. (2003). Modeling the temporal variability in the flux of sediment from ungauged river basins. *Global and Planetary change*, 39(1-2), 95-110.
- Morgan, R. P. C. (1974). Estimating regional variations in soil erosion hazard in Peninsular Malaysia. *Malaysian Naturalist Journal*, 28, 94-106.
- Morgan, R. P. C., Quinton, J. N., Smith, R. E., Govers, G., Poesen, J. W. A., Auerswald, K., ... & Folly, A. J. V. (1998). The European soil erosion model (EUROSEM): documentation and user guide.
- Morgan, R. P. C. (2001). A simple approach to soil loss prediction: a revised Morgan–Morgan–Finney model. *Catena*, 44(4), 305-322.
- Mossa, J. (1996). Sediment dynamics in the lowermost Mississippi River. *Engineering geology*, 45(1-4), 457-479.
- Musgrave, G. W. (1947). The quantitative evaluation of factors in water erosion: a first approximation. *Journal of soil and water conservation*, 2, 133-138.
- Musy, A., & Higy, C. (2004). *Hydrologie: Une science de la nature* (Vol. 21). PPUR presses polytechniques.
- Musy, A., & Higy, C. (2010). Hydrology: a science of nature. CRC Press.
- Musy, A., Higy, C., & Reynard, E. (2014). Hydrologie 1: une science de la nature, une gestion sociétale. Presses polytechniques et universitaires romandes.

- Naden, P. S. (1992). Spatial variability in flood estimation for large catchments: the exploitation of channel network structure. *Hydrological Sciences Journal*, 37(1), 53-71.
- Nag, S. K. (1998). Morphometric analysis using remote sensing techniques in the Chaka sub-basin, Purulia district, West Bengal. *Journal of the Indian society of remote sensing*, 26(1-2), 69-76.
- Naipal, V., Reick, C. H., Pongratz, J., & Van Oost, K. (2015). Improving the global applicability of the RUSLE model-adjustment of the topographical and rainfall erosivity factors. *Geoscientific Model Development*, 8, 2893-2913.
- Nearing, M. A., Unkrich, C. L., Goodrich, D. C., Nichols, M. H., & Keefer, T. O. (2015). Temporal and elevation trends in rainfall erosivity on a 149 km² watershed in a semi-arid region of the American Southwest. *International Soil and Water Conservation Research*, 3(2), 77-85.
- Nearing, M. A., Yin, S. Q., Borrelli, P., & Polyakov, V. O. (2017). Rainfall erosivity: An historical review. *Catena*, 157, 357-362.
- Neary, D. G. (2004). An overview of fire effects on soils. *Southwest Hydrology*, 3(5), 18-19.
- Nemouchi, A. (2001). Géographie hydrologique du bassin versant endoreïque du chott el hodna.
- Neto, F. L., & Moldenhauer, W. C. (1992). Erosividade da chuva: sua distribuição e relação com perdas de solo em Campinas, SP. *Bragantia*, 51(2), 189-196.
- Nigussie, T. A., Fanta, A., Melesse, A. M., & Quraishi, S. (2014). Modeling rainfall erosivity from daily rainfall events, upper Blue Nile basin, Ethiopia. In *Nile River Basin* (pp. 307-335). Springer, Cham.
- Oades, J. M. (1993). The role of biology in the formation, stabilization and degradation of soil structure. In *Soil Structure/Soil Biota Interrelationships* (pp. 377-400).
- Odoro-Afriyie, K. (1996). Rainfall erosivity map for Ghana. *Geoderma*, 74(1-2), 161-166.
- Oliveira Jr, R. C. (1988). A erosividade das chuvas na parte leste do Pará. *Master Science Dissertation. Faculdade de Ciências Agrárias do Pará, Belém, Pará, Brazil*.

- Oliveira, P. T. S., Wendland, E., & Nearing, M. A. (2013). Rainfall erosivity in Brazil: A review. *Catena*, 100, 139-147.
- Ouillon, S. (1998). Erosion et transport solide: ampleur et enjeux. *La Houille Blanche*, (2), 52-58.
- Panagos, P., Ballabio, C., Borrelli, P., Meusburger, K., Klik, A., Rousseva, S., ... & Aalto, J. (2015). Rainfall erosivity in Europe. *Science of the Total Environment*, 511, 801-814.
- Panagos, P., Borrelli, P., Meusburger, K., Yu, B., Klik, A., Lim, K. J., ... & Sadeghi, S. H. (2017). Global rainfall erosivity assessment based on high-temporal resolution rainfall records. *Scientific reports*, 7(1), 1-12.
- Parveen, R., & Kumar, U. (2012). Integrated approach of universal soil loss equation (USLE) and geographical information system (GIS) for soil loss risk assessment in Upper South Koel Basin, Jharkhand. *Journal of Geographic Information System*, 4(06), 588.
- Patel, D. P., Gajjar, C. A., & Srivastava, P. K. (2013). Prioritization of Malesari mini-watersheds through morphometric analysis: a remote sensing and GIS perspective. *Environmental earth sciences*, 69(8), 2643-2656.
- Pauwelyn, P. L. L., Lenvain, J. S., & Sakala, W. K. (1988). Iso-erodent map of Zambia: Part I: The calculation of erosivity indices from a rainfall data bank. *Soil technology*, 1(3), 235-250.
- Pepin, Y., & Hammouda, N. (2012). Variabilité de l'intensité des pluies dans la région de Tanger sur une période de 30 ans (1980-2010). *Revue Marocaine des Sciences Agronomiques et Vétérinaires*, 1(1), 23-27.
- Peres, D. J., & Cancelliere, A. (2016). Estimating return period of landslide triggering by Monte Carlo simulation. *Journal of hydrology*, 541, 256-271.
- Posavec, K., Giacometti, M., Materazzi, M., & Birk, S. (2017). Method and excel VBA algorithm for modeling master recession curve using trigonometry approach. *Groundwater*, 55(6), 891-898.
- Prakash, K., Singh, S., & Shukla, U. K. (2016). Morphometric changes of the Varuna river basin, Varanasi district, Uttar Pradesh. *Journal of Geomatics*, 10(1), 48-54.

- Probst, J. L., & Bazerbachi, A. (1986). Transports en solution et en suspension par la Garonne supérieure. Solute and particulate transports by the upstream part of the Garonne river. *Sciences Géologiques, bulletins et mémoires*, 39(1), 79-98.
- Probst, J. L., & Suchet, P. A. (1992). Fluvial suspended sediment transport and mechanical erosion in the Maghreb (North Africa). *Hydrological Sciences Journal*, 37(6), 621-637.
- Raghunath, H. M. (1985). Hydrology: principles, analysis, and design.
- Rai, P. K., Mohan, K., Mishra, S., Ahmad, A., & Mishra, V. N. (2017). A GIS-based approach in drainage morphometric analysis of Kanhar River Basin, India. *Applied Water Science*, 7(1), 217-232.
- Reich, B. M. (1963). Short-duration rainfall-intensity estimates and other design aids for regions of sparse data. *Journal of hydrology*, 1(1), 3-28.
- Renard, K. G., & Freimund, J. R. (1994). Using monthly precipitation data to estimate the R-factor in the revised USLE. *Journal of hydrology*, 157(1-4), 287-306.
- Renard, K. G., Foster, G. R., Weesies, G. A., McCool, D. K., & Yoder, D. C. (1997). Predicting soil erosion by water: a guide to conservation planning with the Revised Universal Soil Loss Equation (RUSLE) (Vol. 703). *Washington, DC: United States Department of Agriculture*.
- Renschler, C. S., Mannaerts, C., & Diekkrüger, B. (1999). Evaluating spatial and temporal variability in soil erosion risk—rainfall erosivity and soil loss ratios in Andalusia, Spain. *Catena*, 34(3-4), 209-225.
- Rice, J. S., Emanuel, R. E., & Vose, J. M. (2016). The influence of watershed characteristics on spatial patterns of trends in annual scale streamflow variability in the continental US. *Journal of Hydrology*, 540, 850-860.
- Richardson, C. W., Foster, G. R., & Wright, D. A. (1983). Estimation of erosion index from daily rainfall amount. *Transactions of the ASAE*, 26(1), 153-0156.
- Roche, M. (1963). Hydrologie de surface, Gauthier-Villars éditeur. *Paris*, 431p.
- Roche, P. A., Miquel, J., & Gaume, E. (2012). *Hydrologie quantitative: Processus, modèles et aide à la décision*. Springer Science & Business Media.

- Rodríguez-Iturbe, I., & Valdes, J. B. (1979). The geomorphologic structure of hydrologic response. *Water resources research*, 15(6), 1409-1420.
- Rogler, H., & Schwertmann, U. (1981). Rainfall erosivity and isoerodent map of Bavaria. *Zeitschrift fur Kulturtechnik und Flurbereinigung*, 22(2), 99-112.
- Rojas, A., & Conde, A. (1985). Estimación del factor R de la ecuación universal de pérdidas de suelo para el centro-este de la República Argentina. *Ciencia del Suelo*, 3(1-2), 85-94.
- Roose, E. (1975). Erosion et ruissellement en Afrique de l'ouest: vingt années de mesures en petites parcelles expérimentales.
- Roose, E. (1986). Terrasses de diversion ou microbarrages perméables? Analyse de leur efficacité en milieu paysan ouest-africain pour la conservation de l'eau et des sols dans la zone soudano-sahélienne. *Cahiers ORSTOM. Série Pédologie*, 22(2), 197-208.
- Roose, E. (1993). Water and soil fertility management-a new approach to fight erosion and improve land productivity. *Acceptance of Soil and Water Conservation. Strategies and Technologies*. Witzzenhausen, DITSL, 129-64.
- Roose, E. (1994). *Introduction à la gestion conservatoire de l'eau, de la biomasse et de la fertilité des sols (GCES)*.
- Roose, E. J. (1977). Application of the universal soil loss equation of Wischmeier and Smith in West Africa. In *Soil Conservation and Management in the Humid Tropics; Proceedings of the International Conference*.
- Roose, E., & Lelong, F. (1976). Les facteurs de l'érosion hydrique en Afrique Tropicale. Études sur petites parcelles expérimentales de sol. *Revue de géographie physique et de géologie dynamique*, 18(4), 365-74.
- Roose, É., Sabir, M., Arabi, M., Morsli, B., & Mazour, M. (2012). Soixante années de recherches en coopération sur l'érosion hydrique et la lutte antiérosive au Maghreb. *Physio-Géo. Géographie physique et environnement*, (Volume 6), 43-69.
- Rosewell, C. J. (1986). Rainfall kinetic energy in eastern Australia. *Journal of Climate and Applied Meteorology*, 25(11), 1695-1701.

- Rufino, R. L., Biscaia, R. C. M., & Merten, G. H. (1993). Determinação do potencial erosivo da chuva do estado do Paraná, através de pluviometria: terceira aproximação. *Revista brasileira de Ciência do Solo*, 17(3), 439-444.
- Sakkas, J. (1985). Engineering Hydrology-Surface Water Hydrology, DUTH, Hanthi Greece (in Greek).
- Sanchez-Moreno, J. F., Mannaerts, C. M., & Jetten, V. (2014). Rainfall erosivity mapping for Santiago island, Cape Verde. *Geoderma*, 217, 74-82.
- Santín, C., & Doerr, S. H. (2016). Fire effects on soils: the human dimension. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 371(1696), 20150171.
- Saporta, G. (2006). *Probabilités, analyse des données et statistique*. Editions Technip.
- Sassolas-Serrayet, T., Cattin, R., & Ferry, M. (2018). The shape of watersheds. *Nature communications*, 9(1), 1-8.
- Savornin, J. (1908). Essai sur l'hydrologie du Hodna. Typographie Adolphe Jourdan.
- Selmi, K., & Khanchoul, K. (2016). Sediment load estimation in the Mellegue catchment, Algeria. *Journal of Water and Land Development*, 31(1), 129-137.
- Sherman, C. W. (1905). Maximum rates of rainfall at Boston. *Transactions of the American Society of Civil Engineers*, 54(1), 173-180.
- Sherman, C. W. (1931). Frequency and intensity of excessive rainfalls at Boston, Massachusetts. *Transactions of the American Society of Civil Engineers*, 95(1), 951-960.
- Shi, C., & Zhang, D. D. (2005). A sediment budget of the lower Yellow River, China, over the period from 1855 to 1968. *Geografiska Annaler: Series A, Physical Geography*, 87(3), 461-471.
- Shin, S. S., Park, S. D., & Choi, B. K. (2016). Universal power law for relationship between rainfall kinetic energy and rainfall intensity. *Advances in Meteorology*, 2016.
- Silva, A. M. (1999). *Aplicações de técnicas de geoprocessamento no estudo das relações entre os processos erosivos e sedimentológicos de bacia hidrográfica* (Doctoral dissertation).

- Singh, G., Chandra, S., & Babu, R. (1981). Soil loss and prediction research in India, Central Soil and Water Conservation Research Training Institute. *Bulletin No T-12 D*, 9, 1981.
- Smart, J. S. (1978). The analysis of drainage network composition. *Earth Surface Processes*, 3(2), 129-170.
- Smirnov, N. (1939). Sur les écarts de la courbe de distribution empirique. *Matematicheskii Sbornik*, 48(1), 3-26.
- Smith, D. D. (1941). Interpretation of soil conservation data for field use. *Agric. Engg.*, 22, 173-175.
- Snoussi, M. (1988). *Nature, estimation et comparaison des flux de matieres issus des bassins versants de l'Adour(France), du Sebou, de l'Oum-er-Rbia et du Souss(Maroc): impact du climat sur les apports fluviatiles a l'ocean* (Doctoral dissertation).
- Sofres, T. (2009). CIEAU 2010: Les Français et L'eau.
- Sogreah, S (1983). Erosion et transport solide au Maghreb. Analyse bibliographique. Rap. Proj. RAB/80/011/PNUD Alger, p 64.
- Soltner, D. (1975). Les bases de la production végétale Tome I: Le sol, Coll. *Sciences et Techniques Agricoles*, Sainte-Gemmes-sur-Loire.
- Spaccini, R., Mbagwu, J. S. C., Igwe, C. A., Conte, P., & Piccolo, A. (2004). Carbohydrates and aggregation in lowland soils of Nigeria as influenced by organic inputs. *Soil and Tillage Research*, 75(2), 161-172.
- Starkhov, N. M. N. (1967). Principles of Lithogenesis, vol. 1.
- Stenger-Kovács, C., Tóth, L., Tóth, F., Hajnal, E., & Padisák, J. (2014). Stream order-dependent diversity metrics of epilithic diatom assemblages. *Hydrobiologia*, 721(1), 67-75.
- Strahler, A. N. (1957). Quantitative analysis of watershed geomorphology. *Eos, Transactions American Geophysical Union*, 38(6), 913-920.
- Stralchov, N. M., & Strakhov, N. M. (1967). *Principles of Lithogenesis: 1-3*. Consultants Bureau, Edinburgh: Oliver & Boyd.

- Stralher, A. (1964). Quantitative geomorphology of drainage basins and channel network. *Handbook of Applied Hidrology*, 4-76.
- Sun, Y., Wendi, D., Kim, D. E., & Liong, S. Y. (2019). Deriving intensity–duration–frequency (IDF) curves using downscaled in situ rainfall assimilated with remote sensing data. *Geoscience Letters*, 6(1), 17.
- Syvitski, J. P., & Morehead, M. D. (1999). Estimating river-sediment discharge to the ocean: application to the Eel margin, northern California. *Marine Geology*, 154(1-4), 13-28.
- Syvitski, J. P., Morehead, M. D., Bahr, D. B., & Mulder, T. (2000). Estimating fluvial sediment transport: the rating parameters. *Water resources research*, 36(9), 2747-2760.
- Tadrist, N., & Debauche, O. (2016). Impact de l'érosion sur l'envasement des barrages, la recharge des nappes phréatiques côtières et les intrusions marines dans la zone semi-aride méditerranéenne: cas du barrage de Boukourdane (Algérie). *Biotechnologie, Agronomie, Société et Environnement*, 20(4), 453-467.
- Tahiri, M., Tabyaoui, H., El Hammichi, F., Tahiri, A., & El Haddi, H. (2014). Evaluation et quantification de l'érosion et la sédimentation à partir des modèles RUSLE, MUSLE et déposition intégrés dans un SIG. Application au sous-bassin de l'Oued Sania (Bassin de Tahaddart, Rif Nord occidental, Maroc). *European Journal of Scientific Research*, 125(2), 157-178.
- Tani, H. K., Bouanani, A., & Baba-Hamed, K. (2017). Estimations et quantifications des apports solide et liquide du bassin versant du Meffrouche (Nord-Ouest algérien). *Techniques Sciences Méthodes*, (9), 35-46.
- Teng, H., Rossel, R. A. V., Shi, Z., Behrens, T., Chappell, A., & Bui, E. (2016). Assimilating satellite imagery and visible–near infrared spectroscopy to model and map soil loss by water erosion in Australia. *Environmental Modelling & Software*, 77, 156-167.
- Terfous, A., abdesselem, M., & Bouanani, A. (2003). Détermination des dégradations spécifiques dans trois bassins versants des régions mediterraneennes algeriennes. *IAHS-AISH publication*, 366-372.

Terfous, A., Megnounif, A., & Bouanani, A. (2001). Study of the suspended load at the river Mouilah (North West Algeria). *Revue des Sciences de l'Eau (France)*.

Thornthwaite, C. W. (1948). An approach toward a rational classification of climate. *Geographical review*, 38(1), 55-94.

Torres, D. S., Creutin, D., Salles, C., & Delrieu, G. (1992). Quantification of soil detachment by raindrop impact: performance of classical formulae of kinetic energy in Mediterranean storms. *Erosion and Sediment Transport Monitoring Programmes in Rives Basis, IAHS Press, Wallingford, UK*, 115-124.

Touaibia, B., Gomer, D., & Aidaoui, A. (2000). Estimation de l'index d'érosion de Wischmeier dans les micro bassins expérimentaux de l'Oued Mina en Algérie du Nord. *Bull. Réseau Erosion*, (20), 478-484.

Touaibia, I., Abderrahmane Guenim, N., & Touaibia, B. (2014). Modelling approach for the rainfall erosivity index in sub-humid urban areas in northern Algeria. *Proceedings of the International Association of Hydrological Sciences*, 364, 123-127.

Trenberth, K. E., Smith, L., Qian, T., Dai, A., & Fasullo, J. (2007). Estimates of the global water budget and its annual cycle using observational and model data. *Journal of Hydrometeorology*, 8(4), 758-769.

Turc, L. (1961). Evaluation des besoins en eau d'irrigation, évapotranspiration potentielle. *Ann. Agron.*, 12, 13-49.

USDA-ARS. (2013). Science documentation: Revised Universal Soil Loss Equation Version 2. *USDA-ARS, Washington, DC*.

Usón, A., & Ramos, M. C. (2001). An improved rainfall erosivity index obtained from experimental interrill soil losses in soils with a Mediterranean climate. *Catena*, 43(4), 293-305.

Val, L. A., Bahia, V. G., Freire, J. C., & Dias Júnior, M. S. (1986). Erosividade das chuvas em Lavras, MG. *Ciência e prática*, 10(2), 199-209.

- Van Dijk, A. I. J. M., Bruijnzeel, L. A., & Rosewell, C. J. (2002). Rainfall intensity–kinetic energy relationships: a critical literature appraisal. *Journal of Hydrology*, 261(1-4), 1-23.
- Van Doren, C. A., & Bartelli, L. J. (1956). A method of forecasting soil loss. *Agricultural Engineering*, 37(5), 335-341.
- Vannote, R. L., Minshall, G. W., Cummins, K. W., Sedell, J. R., & Cushing, C. E. (1980). The river continuum concept. *Canadian journal of fisheries and aquatic sciences*, 37(1), 130-137.
- Vrieling, A., Hoedjes, J. C., & van der Velde, M. (2014). Towards large-scale monitoring of soil erosion in Africa: Accounting for the dynamics of rainfall erosivity. *Global and Planetary Change*, 115, 33-43.
- Walling, D. E. (1974). Suspended sediment and solid yields from a small catchment prior to urbanization. *Fluvial processes in instrumented watersheds*, 6, 169-192.
- Walling, D. E. (1974). Suspended sediment production and building activity in a small British basin. *Effects of Man on the Interface, IAHS Publ*, 113, 137-144.
- Walling, D. E. (1978). Suspended sediment and solute response characteristics of the river Exe, Devon, England. *Research in fluvial systems*, 169-197.
- Walling, D. E. (1984). The sediment yields of African rivers. *IAHS-AISH publication*, (144), 265-283.
- Walling, D. E. (1987). Material transport by the world's rivers: evolving perspectives. *Water for the future: Hydrology in perspective*, 313-329.
- Wang, J., Ishidaira, H., Sun, W., & Ning, S. (2013). Development and interpretation of new sediment rating curve considering the effect of vegetation cover for Asian basins. *The Scientific World Journal*, 2013.
- Wang, Z. Y., Lee, J. H., & Melching, C. S. (2015). Water quality management. In *River Dynamics and Integrated River Management* (pp. 555-631). Springer, Berlin, Heidelberg.
- Weisse, A. K., & Bois, P. H. (2002). A comparison of methods for mapping statistical characteristics of heavy rainfall in the French Alps: the use of daily information/Comparaison de méthodes de cartographie de paramètres statistiques des

précipitations extrêmes dans les Alpes françaises: apport de l'information journalière. *Hydrological sciences journal*, 47(5), 739-752.

Wischmeier, W. H., & Smith, D. D. (1958). Rainfall energy and its relationship to soil loss. *Eos, Transactions American Geophysical Union*, 39(2), 285-291.

Wischmeier, W. H., & Smith, D. D. (1965). Predicting rainfall erosion losses in the Eastern US—a guide to conservation planning. *Agricultural Handbook*, (282).

Wischmeier, W. H. (1959). A Rainfall Erosion Index for a Universal Soil-Loss Equation 1. *Soil Science Society of America Journal*, 23(3), 246-249.

Wischmeier, W. H., & Smith, D. D. (1978). Predicting rainfall erosion losses-a guide to conservation planning. *Predicting rainfall erosion losses-a guide to conservation planning*.

Williams, G. P. (1989). Sediment concentration versus water discharge during single hydrologic events in rivers. *Journal of Hydrology(Amsterdam)*, 111(1), 89-106.

Wu, S. Y. (1994). Simplified method on calculation of runoff erosion force in Dabieshan mountainous area and its temporal and spatial distribution. *J. Soil Water Conserv., China*, 4, 12-13.

Xie, Y., Yin, S. Q., Liu, B. Y., Nearing, M. A., & Zhao, Y. (2016). Models for estimating daily rainfall erosivity in China. *Journal of Hydrology*, 535, 547-558.

Xin, Z., Yu, X., Li, Q., & Lu, X. X. (2011). Spatiotemporal variation in rainfall erosivity on the Chinese Loess Plateau during the period 1956–2008. *Regional Environmental Change*, 11(1), 149-159.

Yang, D. Y., & Niu, G. Z. (2008). Application and research of VBA processing hydrology data in Excel [J]. *Journal of Waterway and Harbor*, 3.

Yin, S., Nearing, M. A., Borrelli, P., & Xue, X. (2017). Rainfall erosivity: An overview of methodologies and applications. *Vadose Zone Journal*.

Yles, F., & Bouanani, A. (2012). Quantification et modélisation du transport solide dans le bassin-versant de l'oued Saïda (hauts plateaux algériens). *Science et changements planétaires/Sécheresse*, 23(4), 289-296.

- Yu, B., & Rosewell, C. J. (1996). Technical notes: A robust estimator of the R-factor for the universal soil loss equation. *Transactions of the ASAE*, 39(2), 559-561.
- Zanchi, C., & Torri, D. (1980). Evaluation of rainfall energy in central Italy. *Evaluation of rainfall energy in central Italy.*, 133-142.
- Zhang, W. B., & Fu, J. S. (2003). Rainfall erosivity estimation under different rainfall amount. *Resources science*, 25(1), 35-41.
- Zhou, F. J., Chen, M. H., Lin, F. X., Huang, Y. H., & Lu, C. L. (1995). The rainfall erosivity index in Fujian Province. *J. Soil Water Conserv*, 9(1), 13-18.
- Zhu, Z., & Yu, B. (2015). Validation of rainfall erosivity estimators for mainland China. *Transactions of the ASABE*, 58(1), 61-71.
- Zingg, A. W. (1940). Degree and length of land slope as it affects soil loss in runoff. *Agric. Engng.*, 21, 59-64.